

Notice of Allowability

Application No.

10/677,557

Applicant(s)

WANG, HSIN-FA

Examiner

Art Unit

Dinh Q Nguyen

3752

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to filing of application.
2. ☒ The allowed claim(s) is/are 1.
3. ☒ The drawings filed on 03 October 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


Dinh Q Nguyen
Primary Examiner
Art Unit: 3752

DETAILED ACTION

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance: The prior art fails to disclose or render obvious the claimed combination including a lawn sprinkler comprising: a connection pipe, a spray angle adjustment structure mounted at a top end of said connection pipe, wherein the spray angle adjustment structure comprises: a circular distribution member provided with a center through hole and a series of arcuate through holes which are concentric and are progressively different in distance from a center of said center through hole, an adjustment member having a tapered portion and a projection extending from the tapered portion, a control member provided with a center hole, and a series of arcuate rims corresponding to said arcuate through holes of said circular distribution member

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents are cited to show the art with respect to a lawn sprinkler: Hunter, Ogi et al., and Cordua.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dinh Q Nguyen whose telephone number is

Art Unit: 3752

703-305-0248. The examiner can normally be reached on Mon-Fri 6:30-4:00
alternate Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the
examiner's supervisor, Michael Mar can be reached on 703-308-2087. The fax
phone number for the organization where this application or proceeding is
assigned is 703-872-9306.

Information regarding the status of an application may be obtained from
the Patent Application Information Retrieval (PAIR) system. Status information
for published applications may be obtained from either Private PAIR or Public
PAIR. Status information for unpublished applications is available through
Private PAIR only. For more information about the PAIR system, see [http://pair-
direct.uspto.gov](http://pair-direct.uspto.gov). Should you have questions on access to the Private PAIR
system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-
free).



Dinh Q. Nguyen
Primary Examiner
Art Unit 3752

dqn